# GOOD SENSE ACID REDUCER- famotidine tablet L. Perrigo Company

-----

# **Perrigo Acid Reducer Drug Facts**

# Active ingredient (in each tablet)

Famotidine 20 mg

## Purpose

Acid reducer

#### Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

## Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- if you have kidney disease, except under the advice and supervision of a doctor
- with other acid reducers

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

# Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

#### If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 12 years and over:
- to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture and light

# **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, lactose (monohydrate), magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide

Questions or comments? 1-800-719-9260

# **Principal Display Panel**

Maximum Strength

Famotidine Tablets, 20 mg

Acid Reducer

**Actual Size** 

Just One Tablet Prevents & Relieves Heartburn due to Acid Indigestion

25 Tablets

Compare to active ingredient of Maximum Strength Pepcid® AC





#### Cuestions or comments? 1-800-719-9260

stearate, microcrys bill ine ce llulose, polyethylene glycol, polyvinyl alcohol, talc, and titanium dioxide Inactive ingredients camauba wax, colloida laticon dioxide, crossermellose sodium, lactose (monohydrate), magnesium

Drug Facts (continued)



Famotidine Tablets, 20 mg

Tips for Managing Heartburn • Do not lie flat or bend over after eat • Do not wear tight-fitting clothing

**COODSENSE®** 





# Drug Facts

#### Active ingredient (in each tablet) Famotidine 20 mg....

Purpose

#### .Acid reducer

#### ■ relieves heartburn associated with acid indigestion and sour stomach

prevents heartburn associated with a cid indigestion and sour stomach brought on by eating or drinking certain food and beverages

#### Warnings

Allergy alert: Do not use if you are allergic to famotione or other acid reducers

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- if you have kidney disease, except under the advice and supervision of a doctor
- with other acid reducers

#### Aska doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; s weating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

#### Drug Facts (continued)

- frequent wheezing, particularly with heartburn unexplained weight loss
- nausea or vomiting stomach pain

#### Stop use and ask a doctor if

- vour heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health

professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- adults and children 12 years and over
- to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn

  do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture and light

# GOOD SENSE ACID REDUCER

famotidine tablet

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0194
--------------	----------------	--------------------	---------------

ORAL Route of Administration

#### **Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength
I	FAMO TIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

#### **Inactive Ingredients Ingredient Name** Strength CARNAUBA WAX (UNII: R12CBM0EIZ) SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)

CROSCARMELLOSE SODIUM (UNII: M28 O L 1 HH48)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

<b>Product Characteristics</b>	roduct Characteristics			
Color	WHITE	Score	no score	
Shape	ROUND	Size	8mm	
Flavor		Imprint Code	L194	
Contains				

ı	Packaging					
l	# Item Code	Package Description	<b>Marketing Start Date</b>	Marketing End Date		
l	1 NDC:0113-0194-02	25 in 1 CARTON	03/16/2007			
l	1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA077351	03/16/2007		

# Labeler - L. Perrigo Company (006013346)

Revised: 12/2019 L. Perrigo Company