# 4006 APAP 325mg 1000 Tablets

## **Drug Facts**

#### Uses

Temporarily relieves minor aches and pains Temporarily reduces fever

### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- More than 12 tablets in 24 hours, which is the maximum daily amount
- With other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use** with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if:

- Pain gets worse or lasts more than 10 days
- Fever gets worse or lasts more than 3 days
- New symptoms occur
- Redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

**Overdose Warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

Adults and children 12 years of age and over:

- Take 2 tablets every 4-6 hours, as needed.
- Do not take more than 12 tablets in 24 hours.

Children under 12 years:

Ask a doctor

Do not take more than directed

#### Other Information

- TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.
- Store at 20-25 degrees C (68-77 degrees F)
- For institutional use only

## **Inactive Ingredients**

Povidone, sodium stratch glycolate, startch, stearic acid.

May also contain: crospovidone, methylparaben and propylparaben