

Lighted Articulating Ear Curette™



Instructions for Cerumen Removal Using the Lighted Articulating Ear Curette

1. Position the patient comfortably on the examination table. Smaller children may be restrained on their parent's lap or shoulder during the procedure. Visit www.BionixMed.com and view the Bionix Cerumen Removal Tips and Techniques videos for more detail.
2. Using an otoscope, examine the ear canal noting the presence and location of any obstructing cerumen or foreign body.
3. Straighten the ear canal by gently pulling the ear up and away from the patient. Position the tip of the Lighted Articulating Ear Curette adjacent to the obstruction or behind it if there is room between the obstruction and the ear canal wall.
4. Grasp the handle of the Lighted Articulating Curette in your palm placing your index finger in the trigger and gently pull back. This will cause the tip of the curette to bend.
5. Hold the tip in the flexed position and gently roll the obstruction from the ear canal.
6. Use an otoscope to re-examine the ear canal, noting the presence and location of any remaining obstruction.
7. Repeat the above procedure as needed to until the tympanic membrane can be adequately visualized, or the foreign body has been removed.
8. Remove the otoscope and discard the curette tip.

CAUTION: Discontinue curettage immediately if bleeding, irritation, or other trauma to the ear canal or tympanic membrane occurs.

Special Note:

The Lighted Articulating Ear Curette is intended for single-patient use. Discontinue use of the curette if the hinge no longer functions. Re-use of the curette can cause the hinge to stop functioning. Use of alcohol wipes or cold sterilization can also negatively affect the functioning of the curette. The light source and magnification lens are designed for multi-procedure use.