



1410 E. Weisgarber Road
Knoxville, Tennessee 37909
Phone: 888 945 1492 Fax: 888 945 1492
www.zenimedical.com

November 27, 2017

Requests for Safety Data Sheets (SDS)

The United States Occupational Safety and Health Administration (OSHA) now requires Hazardous Chemical reporting to be completed on a uniform Safety Data Sheet (SDS) rather than the previously used Material Safety Data Sheet (MSDS). OSHA has standardized the Hazard Communication Standard (HCS) in order to better align with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) now being implemented worldwide. Safety Data Sheets are documents that travel with or ahead of hazardous chemical shipments, warning users of the specific dangers of such products and guidance on their safe handling, storage and disposal.

Medical devices are exempt from OSHA rules (see 29 CFR 1910.1200(c)) with the Food, Drugs and Cosmetics Act (FD&C) and Title 21 of the Code of Federal Regulations (21CFR) taking precedence. Specifically, medical devices are considered to be 'articles' as defined by the HCS, therefore not requiring an SDS. Products manufactured or fabricated into an 'article' are typically whole units that do not and cannot pose a risk in that they cannot be ingested, inhaled, or absorbed into the body. However, medical device labelling is equally stringent and the relevant warnings must be clearly displayed on all levels of packaging and in the accompanying *Package Insert* or *Instructions for Use* documentation.

The following ZeniMedical products are registered as medical devices and consequently do not have SDS: ZeniFiber, ZeniFoam, ZeniFoam Gentle, ZeniFoam Gentle Border, ZeniPlast and ZeniPad Plus. SDSs are not designed for individual end-users to identify individual components or for detailed formula information. This is beyond the intended scope of the SDS documents.

Chris Doody

VP Operations
ZeniMedical